

Specification

Accessory	
Appearance	Hik white
Material	Aluminum alloy
Dimensions	88 mm × 122.9 mm × 297.3 mm(3.46" × 4.84" × 11.7")
Weight	498 g (1.10 lb)
Angle Adjustment	Tilt: -45° to +45°; Pan: -180° to +180°
Mount	Wall Mount

Available Model

DS-1293ZJ-T



Accessory









DS-2TD2628-3/QA/GLT 4G Network Thermal Camera DS-2TD2628-7/QA/GLT 4G Network Thermal Camera DS-2TD2628-10/QA/GLT(LA) 4G Network

Thermal Camera

DS-2TD2628-10/QA/GLT 4G Network Thermal Camera

COMPLIANCE NOTICE: The thermal series products might be subject to export controls in various countries or regions, including without limitation, the United States, European Union, United Kingdom and/or other member countries of the Wassenaar Arrangement. Please consult your professional legal or compliance expert or local government authorities for any necessary export license requirements if you intend to transfer, export, re-export the thermal series products between different countries.





Headquarters No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 www.hikvision.com

Follow us on social media to get the latest product and solution information.





HikvisionHQ



HikvisionHQ



Hikvision_Global





