



auxi-L

expansion module
KSI2300004.300

DATASHEET

INTRODUCTION

auxi-L is an Expansion Module with 5 Relays outputs operating at 250V-8A (10A peak), with 1 common Terminal, ideal for Light Management and for disconnecting Appliances. As all the other Expansion Modules of Ksenia Security, it's having very compact dimensions (only 70x45mm) enabling room savings, it can be installed either inside the DIN-503 Boxes and on DIN guide reducing dramatically the installation time.

TECHNICAL DATA

- **Power Supply:** 13,8 Vdc
- **Consumption:** 120 mA max.
- **Output:** Up to 5 relay, 250 V - 8 A (10 A peak)
- Fast addressing System on KS-BUS
- **PCB Dimension:** 45×75x16 mm

PROGRAMMING

auxi-L connects to lares and lares 4.0 control panel series through the KS-BUS 4-wire serial bus and is uniquely identified with the 6-digit serial number printed on the label on the card. Programming of the terminals (input / output) is carried out during the programming of lares or lares 4.0.



DATASHEET

HOW TO ORDER

KSI2300004.300 - auxi-L

PARTS INCLUDED

- 1 auxi-L expansion module (PCBA)
- 4 sustainers for metal or plastic cabinet
- 1 Installation guide IT/EN/FR

COMPLIANCE

Europe - CE

DATASHEET

ENVIROMENTAL PROTECTION

auxi-L has been designed and realized with the following characteristics to reduce its envirommental care:

- Halogen free laminates and lead-free PCBA
- Low consumption
- Packaging realized mainly with recycled fibers and materials

