


Avigilon Unity Access 7 Professional Appliances

For small-sized systems, a professional appliance is a great solution for providing secure and reliable system storage. The Avigilon Unity Access Professional appliance is a web-based, on-premise access control network appliance designed for systems with up to 50 readers. Its compact size makes it ideal for small spaces, while its energy efficiency helps ensure cost-effectiveness.

Manage facility access privileges with ease anytime, anywhere. Use any device with a web browser, including Firefox, Safari, Chrome or Edge, so there is no need to be tied to a dedicated client workstation.



Features



OPEN ARCHITECTURE

Leverages open field hardware investments.



TURNKEY SOLUTION

All-in-one appliance pre-installed with Unity Access software from Motorola Solutions.



SCALABILITY

Desktop machine offers an ideal starting point for smaller businesses with the flexibility to expand as needs change.



COST-EFFECTIVE

Provides smaller businesses with powerful features at a lower cost of ownership.



SMALL FORM FACTOR

Small footprint with powerful performance installs into compact spaces with limited power consumption requirements.



EASY INTEGRATION WITH EXISTING SYSTEMS

Seamless integration with existing IT, logistical and physical security systems.

For more information, visit <https://avigilon.com/unity-access>

Specifications

SYSTEM	
Processor	12th Generation Intel Core i3-12100 (4 Cores/12MB/8T/3.3GHz to 4.3GHz/60W)
Memory	8GB (1X8GB) 3200MHz DDR4 UDIMM Non-ECC
Card Readers	Up to 50
Inputs	512
Outputs	512
Max. Identities	75,000
Max. Controllers	1,024
Max. Simultaneous Operators	10
Max. Stored Events	75,000,000
Hard Disk Drive Configuration	500GB 2.5inch Serial ATA (7,200 Rpm) Hard Drive
Network Interface	Intel 1GB PCIE network card for Small Form Factor

MECHANICAL	
Form Factor	Small Form Factor
Dimensions (HxWxD)	29 cm × 9.26 cm × 29.2 cm; 11.42" × 3.65" × 11.50"
Weight	4.20 kg (9.27 lb)

ELECTRICAL	
Power Input	100 to 240 VAC, 50/60 Hz, 4.4A
Power Supply	Single non-redundant
Power Consumption	300 W (92% Efficient, 80 PLUS Platinum)

ENVIRONMENTAL	
Operating Temperature	10 °C-35°C (50 °F-95°F)
Storage Temperature	-40° to 65° C (-40° to 149° F)
Humidity	20% to 80% (non-condensing, Max dew point temperature = 26°C)
Operating Vibration	0.26GRMS
Storage Vibration	2.20GRMS
Operating Shock	40G
Storage Shock	105G
Operating Altitude	G1 or lower as defined by ANSI/ISA-S71.04-1985
Storage Altitude	G1 or lower as defined by ANSI/ISA-S71.04-1985

CERTIFICATIONS			
BSMI	CAN ICES-003(B)/NMB-003(B)	CCC	CE
KCC	NOM	RCM	UKCA
UL	VCCI	WEEE	

SUPPORTED ACCESS CONTROL & VIDEO INTEGRATION SOLUTIONS

ACCESS CONTROL

Allegion
ASSA ABLOY
EasyLobby® by HID
Elmdene
Farpointe Data®
HID Global®
HID PivCLASS®
LifeSafety Power®

Mercury Security
Salto
Simons Voss
ViRDI

VIDEO

Avigilon Unity Video
Avigilon Decision Management System
Motorola Solutions Orchestrate

Ordering Information

APPLIANCES

UA-APP-PRO-7	UA 7 Professional Appliance
--------------	-----------------------------

BASE & DOOR LICENSES

UA-SW-LIC-BASE-PACK	UA7 Base Package License (includes 20 doors)
UA-SW-LIC-1DOORS	UA7 1 Door License
UA-SW-LIC-10DOORS	UA7 10 Door License
UA-SW-LIC-WIRELESS-LOCK	UA7 Wireless Lock License

ADD-ON LICENSES

UA-SW-LIC-ALL-IN-ADDON	UA7 All-in Add-on
UA-SW-LIC-DATA-ADDON	UA Data and Templates Add-on
UA-SW-LIC-AVAILABILITY-ADDON	UA7 Availability and Network Add-on
UA-SW-LIC-AWARENESS-ADDON	UA7 Situational Awareness Add-on
UA-SW-LIC-INTEGRATIONS-ADDON	UA7 Integrations Add-on

SERVICE PLANS

UA-SW-LIC-SERVICE-PLAN-250-1	UA7 Service Plan for up to 250 doors, 1 Year
UA-SW-LIC-SERVICE-PLAN-250-3Y	UA7 Service Plan for up to 250 doors, 3 Years
UA-SW-LIC-SERVICE-PLAN-250-5Y	UA7 Service Plan for up to 250 doors, 5 Years

WARRANTY EXTENSIONS

UA-APP-PRO-WARR-EXTEND-1YR	1 Year Extended Warranty for UA Professional Appliance
UA-APP-PRO-WARR-EXTEND-2YR	2 Year Extended Warranty for UA Professional Appliance

Support

Learn more and find additional documentation at [avigilon.com](https://www.avigilon.com) or email for specific product support.

Jul 2024 | Rev A

© 2021 - 2024, Motorola Solutions, Inc. All rights reserved. MOTOROLA, MOTO, MOTOROLA SOLUTIONS, and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. AVIGILON, the AVIGILON logo, AVIGILON CONTROL CENTER, ACC, HDSM SmartCodec and LIGHTCATCHER are trademarks of Avigilon Corporation. The absence of the symbols ™ and ® in proximity to each trademark in this document or at all is not a disclaimer of ownership of the related trademark. All other trademarks are the property of their respective owners.